

Poster List – Wednesday 18 September

Track 2: Treatment & Patient Care

4

Intestinal protozoa and helminths in patients with ulcerative colitis

Toychiev A., Navruzov B., Pazylova D., Osipova S. (Uzbekistan)

9

Amebiasis and tumor processes

Svistunov O.P., Anya K., Ime U., Isuwu I., Umoh J. M. (Nigeria, South Africa, Russia & UK)

22

Ultrasound and intestinal lesions in *Schistosoma mansoni* infection: A case-control pilot study outside endemic areas

Tamarozzi F., Buonfrate D., Monteiro G.B., Richter J., Gobbi F.G., Bisoffi Z. (Italy & Germany)

45

Origins and spread of novel genetic variants of sulfadoxine–pyrimethamine resistance in *Plasmodium falciparum* isolates in Indonesia

Basuki S., Fitriah, Petronella M. Risamasu K., Ariami P., Riyanto S., Hidayat A., Susilowati D., Iskandar, Armika B., Budiono, Dachlan Y.P., Kanbara H., Uemura H. (Japan)

68

Phase II RCT for neem and coconut oil for tungiasis in Kilifi county, Kenya

Elson L., Randu K., Feldmeier H., Fillinger U. (UK, Germany & Kenya)

90

The acceptability and utility of different diagnostic methods and sample types for the surveillance of trachoma in the Biajgos Islands, Guinea Bissau

Sahota R., Harding-Esch, E. (UK)

91

Epidemiology of soil transmitted helminths in pregnant women attending antenatal clinic in Lagos State Nigeria

Rahman N.O., Dibajuba C.V., Akinsanya B.O., Adewale B. (Nigeria)

93

Effect of water, sanitation and hygiene interventions alone and combined with nutrition interventions on child growth: A systematic review and meta-analysis

Bekele T., Rahman B., Rawstorne P. (Australia)

97

Serum II-10 levels and its relationship with the parasitaemia in chronic Chagas disease patients

Salvador F., Sánchez-Montalvá A., Martínez-Gallo M., Sulleiro E., Franco-Jarava C., Sao Avilés A., Bosch-Nicolau P., Moure Z., Silgado A., Molina I. (Spain)

100

Activation of T lymphocyte subpopulations in peripheral blood from localized and diffused cutaneous leishmaniasis due to *Leishmania aethiops*

Geremew D. (Ethiopia)

Poster List – Wednesday 18 September

107

Fever clearance in the efficacy and safety study of Artesunate + Amodiaquine, Artemether + Lumefantrine, Dihydroartemisinin + Piperaquinephosphate on the day 1 of enrolment in the treatment of uncomplicated plasmodium falciparum malaria in under five children in DR Congo
Kutekemeni K., Lukuka K., Mukomena S., Likwela J.L., Gasigwa B., Sambou B., Bahizi P., Kakesa O., Ringwald P., Mesia K. (DRC)

108

The level of knowledge about toxoplasmosis disease in a group of health professionals in public health facilities in Rabat, Morocco
Laboudi M., Ait Hamou S., Sadak A. (Morocco)

118

Assessment of retrospective rabies suspected cases registered at two hospitals, community and traditional healers knowledge, attitude and practices in South Ethiopian pastoralists
Gumi B., Girma S., Mohamed H., Kerro O., Chaka H. (Ethiopia & USA)

127

Adding proactive and reactive case detection into the integrated community case management system (iCCM+) to optimise diagnosis and treatment of malaria in a high transmission setting of Cameroon
Epie Bekolo C., D'Arcy Williams T.

133

A case of vulvar myiasis
Raj Dawadi B., Temba Sherpa M., Shrestha R. (Nepal)

169

An antigen detection rapid diagnostic test (RDT) to accelerate control and elimination of visceral Leishmaniasis
Picado A., Cruz I., Sampath R., Ndung'u J.M. (Switzerland & Spain)

207

Imported Leprosy in a province of Spain
Ézsöl-Lendvai S., Cutillas-Marco E., Rodríguez-Vázquez M., Gómez Echevarría J.R., Escario-Travesedo E. (Spain)

241

Dengue and chikungunya among febrile outpatients in kinshasa, Democratic Republic of Congo: A cross-sectional study
Proesmans S., Katshongo F., Fungula B., Ahuka-Mundeke S., Van Esbroeck M., Ariën K., De Smet B., Lutumba P., Van geertruyden J.P., Vanlerberghe V. (Belgium & DRC)

253

Addressing the original 'seven year itch' - Improving recognition of scabies, a new who neglected tropical disease
Head M.G. (UK)

265

Ivermectin treatment response in onchocerciasis-infected persons with epilepsy and children in the Democratic Republic of Congo
Dusabimana A., Tepage F., Hotterbeekx A., Menon S., Mandro M., Abhafule G., Siewe J.N., Colebunders R. (DRC)

Poster List – Wednesday 18 September

270

***Opisthorchis viverrini* in central Vietnam: Prevalence in human hosts and correlation between EPG and number of *O. Viverrini* worms recovered after praziquantel treatment**

Dao T.H.T., Bui V.T., Huynh H.Q., Dermauw V., Nguyen T.G.T., Gabriel S., Dorny P. (Vietnam & Belgium)

279

Detection and quantification of *Schistosoma mansoni* DNA using real-time PCR in human blood samples pre and post treatment

Fuss A., Mazigo H.D., Mueller A. (Germany & Tanzania)

286

Proposed improvements of the WHO ultrasound protocol to assess schistosomiasis associated morbidity

Richter J. (Berlin)

301

Leishmaniasis and tumor necrosis factor alpha antagonists in Spain. A switch in clinical expression

Bosch-Nicolau P., Ubals M., Salvador F., Sánchez-Montalvá A., Erra A., Aparicio G., Sulleiro E., Molina I. (Spain)

303

Development of conventional multiplex PCR for simultaneous detection of Soil-transmitted helminths (STHs)

Phadungsaksawasdi K., Sanprasert V., Srirungruang S., Nuchprayoon S. (Thailand)

316

Analysis of lymphatic filariasis morbidity in districts that are still endemic in Burkina Faso

Tapsoba A.B., Kouanda S., Ouédraogo A.M., Ilboudo B., Thonneau F.P. (Burkina Faso & Egypt)

322

Schistosomiasis mansoni in La Hispaniola: Revisiting a neglected tropical disease in the Caribbean

Delgadillo M., Tapia L., Paulino-Ramirez R. (DRC)

323

Seroprevalence of strongyloidiasis in migrants: A multicenter hospital-based study

Requena-Mendez A., Gomez-Junyent J., Salvador F.M., Cruz-Caparrós G., Villar-García J., LLaberia-Marcual J., Santin M., Muñoz J. on the Strongyloides working group (Spain)

325

Chagas disease' hospitalization in Spain: Analysis of the Spanish national hospital discharge database from 1997 to 2015

Ramos-Rincón J.M., Ramos-Sesma V., Navarro-Beltrá M., Wikman-Jorgensen P.E., Gil-Anguita C., Lucas-Dato A., Amador-Prous C., Torrus-Tendero D. Pinargote-Celorio H., Llenas-García J. on behalf of the Alicante Sin Chagas Network (Spain)

326

In Kabarole, Western Uganda, onchocerciasis-associated epilepsy, including nodding and Nakalanga syndromes stopped to appear after onchocerciasis was eliminated

Gumisiriza N., Kaiser C., Asaba G., Onen H., Mubiru F., Colebunders R. (Uganda, Germany & Belgium)

Poster List – Wednesday 18 September

341

Clinic, microbiology and treatment of Cutaneous Leishmaniasis in a tertiary hospital in Barcelona: A series of 41 cases

Ubals. M., Bosch- Nicolau. P., Sánchez- Montalvá. A., Salvador. F., Aparicio-Español G., Sulleiro E., Soriano- Arandes A., Ferrer B., Molina I., García- Patos V. (Spain)

362

Reviewing the current practice of the management of suspected schistosomiasis in the Liverpool School of Tropical Medicine and Royal Liverpool university hospital

Gahir J., Jones J., Defres S., Squire S.B. (UK°)

364

Swabbing multiple lesions to improve the diagnostic yield in yaws

Creswell B., Munson M., Marks M. (UK)

413

Non-invasive alternatives for diagnosis and test of cure for Visceral Leishmaniasis in HIV co-infected patients

Owen S., Harshana A., Mahajan R., Kumar S., Coleman M., Burza S., Adams E.R., Das P. (UK & India)

418

Tuberculosis in patients co-infected with visceral leishmaniasis and HIV – A new diagnostic and management challenge

Burza S., Pandey K., Mahajan R., Kazmi S., Harshana A., Alexander N., Lasry E., Moreto-Planas L., Das V.N.R., Das P. (India, UK & Spain)

419

Onchocerciasis-associated epilepsy disability correlates with *Onchocerca volvulus* microfilarial density

Abd-Elfarag G., Raimon S., Carter J.Y., Puok K., Olore P.C., Songok J., Wilson J., Siewe J.N., Logora M.Y., Colebunders R. (Netherlands, South Sudan & Belgium)

427

Urinary antigen for detection of asymptomatic visceral leishmaniasis in hiv positive patients

Owen S., Kumar S., Harshana A., Mahajan R., Coleman M., Das P., Adams E.R. Burza S. (UK & India)

430

Diagnostic implications derived from two cases of *Madurella pseudomycetomatis* in Mexico

Nyuykonge B., Zandijk W.H.A., Ahmed S.A., Klaassen C.H.W., Bonifaz A., Van de Sande W.W.J. (The Netherlands & Mexico)

452

About 125 patients one year after trichiasis surgery in Mali

Touré A., Keita M., Dembélé B., Traoré L., Thonneau P., Rapp C. (Mali, Egypt & France)

459

Potential re-emergence of pathogenic tsetse-transmitted trypanosomes in the neighborhoods of Akagera National Park, Rwanda

Gashururu R., Ndizeye E., Musafiri E. (Rwanda)

Poster List – Wednesday 18 September

499

Healthcare-seeking behaviour for febrile illness in agro-pastoralist settings in Tanzania: Implications for early detection of zoonoses

Barasa V., Waldman L. (UK)

512

Presence of protozoan human parasites in animal faecal samples from central park (New York, USA)

Peña-Fernández A., Saiful S., Koumi E., Kitenge A.E., Osman G., Nahimana M., Obilonu A., Dikko H., Sureshkumar K., Anjum U. (UK)

523

Evaluation of immunocytochemical assay on thin blood smears for detection of Dengue virus antigen

Mulyaningrum U., Umniyati S.R., Wijayanti N. (Indonesia)

524

First detection of presence of emerging human microsporidian parasites in urban soils in Alcalá de Henares, Spain

Peña-Fernández A., Anjum U., Lobo-Bedmar M.C., Izquierdo F., Magnet A. (UK & Spain)

527

Prevalence of onchocerciasis and associated epilepsy in six villages endemic for onchocerciasis in Mahenge, Tanzania

Mmbando B.P., Bhwana D., Dekker M.C.J., Mnacho M., Kakorozya A., Matuja W., Makunde W.H., Weckhuysen S., Colebunders R. (Tanzania & Belgium)

538

Anti-epileptic and anti-inflammatory treatment of individuals with single enhancing lesion neurocysticercosis: A systematic review and meta-analysis of experimental studies

Abraham A., Bustos, J., Carabin H., de Meijere R., Garcia H.H., Winkler A.S. (Germany, Norway, Peru & Canada)

543

Assessing the availability, readiness and quality of morbidity management and disability prevention services for clinical lymphatic filariasis in Bangladesh

Chowdhury S., Mableson H., Rahman A.K.M.F., Jahan S., Jahurul Karim M., Sultan Mahmood A.S.M., Betts H., Taylor M., Kelly-Hope L. (Bangladesh & UK)

556

Combine approach in disability management (leprosy and lymphatic filariasis) – Lepra experiment in Bihar, India

Kant Singh R., Singh L., Singh A., Kumar S. (India)

583

***Treponema pallidum pertenu* clearance from lesion samples following single dose azithromycin treatment of yaws**

Munson M., Creswell B., Marks M. (UK)

589

Impavido™ (Miltefosine) for annergic diffuse cutaneous leishmaniasis, a rare and intractable disease

Hueb M., Oliveira T.F., Grigoli E., Viana, T.R., Proença, W.B., Damin B.C., Fonseca-Jr E.A., Carvalho A.P., Cavalcante, L.R.S., Reis P.V. (Brazil)

Poster List – Wednesday 18 September

590

Evaluation of recombinase polymerase amplification assay in the xenodiagnosis of post kala azar dermal leishmaniasis

Khan M.A.A., Faisal K., Chowdhury R., Hossain F., Ghosh P., Mondal D. (Bangladesh)

592

Evaluating the burden of scabies in the Chachi population of the Cayapas River, Ecuador

Romero-Alegría A., Hernández-Fabá E., Martín-Oterino J., Mingorance N., Delgado-Yagüe D., Cáceres-Alonso M., Toapanta L., Lovato R., Caicedo C., García-Mingo A. (Spain & Ecuador)

594

IGG-Elisa based on NS1 recombinant protein multiepitope for the diagnosis of dengue cases

Lima M.R.Q., Badolato-Correa J., Sanches-Arcila J.C.S., De Azeredo E.L., De-Oliveira-Pinto L.M., Nagata T., Dos Santos F.B. (Brazil)

603

Optimization of the ketoconazole dose for the treatment of *Leishmania amazonensis* infection in BALB/c mice

Terron-Monich M.S., Sartori K.P., Oliveira A.P.D., Ferreira F.B.P., Lera-Nanose D.S.S.L., Ramos-Milaré A. F.H., Gazim Z.C., Demarchi I.G., Silveira T.G.V., Lonardoní M.V.C. (Brazil)

607

The use of equine blood to prepare a culture medium for *leishmania*: An operational strategy

Mesquita T.C., Cavalcante L.R.S., Silva H.A.L., Escobar P.K., Hueb M. (Brazil)

615

American Tegumentary Leishmaniasis: Clinical and epidemiological aspects of patients from a clinical research centre, in two different periods, Mato Grosso, Brazil

Silva V.C., Silva S.F., Damazo A.S., Silva H.A.L., Menezes A. L., Cavalcante L.R.S., Hueb M. (Brazil)

619

Retrospective analysis of Leishmaniasis-HIV coinfection cases in a Brazilian clinical research center

Hueb, M., Bumlai, L.M., Cavalcante, L.R.S., Oliveira L.M., Pona M., Dorileo G.B., Feuser, G.V.P., Oliveira, T.F. (Brazil)

622

Leprosy cases notified in a reference hospital of Mato Grosso, Brazil: Lessons from an epidemic

Cavalcante L.R.S., Lopes J.C., Bumlai L.M., Oliveira L.M., Brito W.I., Souza M.E.O., Marafon S., Hueb M., Lima V.E.N., Dorileo G.B. (Brazil)

629

Leprosy in the prison system of Mato Grosso - Brazil

Silva S.F., Cavalcante L.R.S., Stranieri I., Montanha S.M. Damasio A.S., Souza M.E.O., Rocha G.V., Osti P.A., Lima, V.N. (Brazil)

631

Risk factors for in-hospital mortality from visceral leishmaniasis: A case-control study

Oliveira-Sena I.V., Werneck G.L. (Brazil)

651

Is there any association between body mass index and dengue severity?

Zulkipli M.S., Rampal S., Bulgiba A., Peramalah D., Jamil N., Lum C.S., Ahmad Zaki R., Syed Omar S.F., Dahlui M. (Malaysia & Indonesia)

Poster List – Wednesday 18 September

660

The magnitude and associated risk factors of *Schistosoma mansoni* and its absence of co-infection with *Salmonella typhi* and/or *salmonella paratyphi* among Sebatamit primary school children, Rural Bahir Dar, northwest Ethiopia: A cross-sectional study

Workineh L., Yimer M., Gelaye W., Muleta D. (Ethiopia)

694

Implementation of the national leprosy strategy 2016-2020 of Nepal: Leprosy elimination campaign in four districts

Baskota R., Parajuli N., Jha C.B., Gyawali B., Ghimire S., Pokhrel G.H., Poudel R.K. (Nepal)

705

The impacts of water, sanitation and hygiene (wash) resource components on transmission of soil transmitted helminthiasis in Ogun State, Nigeria

Mogaji, H.O., Dedeke, G.A., Bada B.S., Bankole S.O., Ekpo U.F. (Nigeria)

716

Factors shaping the implementation of the safe strategy for trachoma using the consolidated framework for implementation research: A systematic review

Maritim P., Zulu J.M., Jacobs C., Chola M., Chongwe G., Zyambo J., Halwindi H., Michelo C. (Zambia)

720

Randomised, open label multicentre, non-inferiority clinical trial for new treat modalities for cutaneous leishmaniasis caused by *Leishmania tropica*

Kämink S., Lenglet A., Pylypenko T., Jensen T., Ashraf S., Kamau C., Fernhout J., den Boer M., Ritmeijer K. (Pakistan, The Netherlands, USA & UK)

721

Test-and-treat with doxycycline as an alternative strategy for the acceleration of onchocerciasis elimination in a Loiasis co-endemic region of South-West Cameroon

Wanji S., Forrer A., Theobald S., Hamill L., Chounna Ndongmo P.W., Nji T., Njouendou A.J., Enyong P., Turner J.D., Taylor M.J. (Cameroon & UK)

724

Morbidity and mortality among patients of visceral leishmaniasis treated with sodium stibogluconate and paramomycin in Gadarif hospital, Eastern Sudan

Omar S.M., Ahmed M.A.A., Adam G.K., Ali A.A.A. (Sudan)

735

Prevalence of intestinal helminthic infections and malnutrition among schoolchildren of the Zegie peninsula, Northwestern Ethiopia

Abdi M., Nibret E., Munshea A. (Ethiopia)

744

Testing strategies to better inform participants of an anthelmintic clinical trial

Palmeirim M.S., Ame S.M., Ali S.M., Mohammed U.A., Obrist B., Hattendorf J., Keiser J. (Switzerland & Tanzania)

761

Are three rounds of mass drug administration (MDA) with Azithromycin enough to reduce the prevalence of Trachoma to below 5% in 1-9 year old children in Trachoma endemic countries where baseline prevalence is greater than 10%?

Onen B.L. (UK)

Poster List – Wednesday 18 September

763

Efficacy of single dose albendazole and praziquantel drugs and neglected tropical disease prevalence among school children at Rural Bahir Dar, Northwest Ethiopia

Hailu T., Abera B., Mulu W., Alemu M., Yizengaw E., Genanew A. (Ethiopia)

766

Under diagnosis of intestinal schistosomiasis in a referral hospital, North Ethiopia

Abate M. (Ethiopia)

775

Direct observed treatment for post kala-azar dermal leishmaniasis with miltefosine at allometric dose in children and adolescent in a Rural Bangladesh

Hossain M.S., Mural M. A., Almahmud M., Hasnain M.G., Alim A., Baker. J., Ghosh D., Maruf S., Mondal D. (Bangladesh & Australia)

782

Development of azithromycin resistance in *streptococcus pneumoniae* in the setting of trachoma mass drug administration: A systematic review

Khan N., Bailey R. (UK)

787

Integrated serosurveillance of multiple neglected tropical diseases using the trachoma surveillance platform in Northern Ghana

Senyonjo L.G., Debrah O., Marfo B., Agyemang D., Bailey R.L. (UK & Ghana)

797

Evaluation of the activity of erythrosine ester derivatives incorporated in pluronic® P-123 against promastigotas of *Leishmania braziliensis* in photodynamic therapy

Oyama J., Lera-Nonose D.S.S.L., Ramos-Milaré Á.C.F.H., Piovesana D.M., Freitas C.F., Caetano W., Hioka N., Silveira T.G.V., Lonardoní M.V.C. (Brazil)

798

Investigation of the erythrosine ester derivatives potential incorporated in pluronic® P-123 against promastigote forms of *Leishmania amazonensis* in photodynamic therapy

Oyama J., Lera-Nonose D.S.S.L., Ramos-Milaré Á.C.F.H., Freitas C.F., Wilker C., Hioka N., Silveira T.G.V., Lonardoní M.V.C. (Brazil)

799

Evaluation of erythrosines decil and butyl ester incorporated in pluronic® F-127 activity against promastigotas of *Leishmania amazonensis* in photodynamic therapy

Oyama J., Ramos-Milaré A.C.F.H., Lera-Nonose D.S.S.L., Freitas C.F., Caetano W., Hioka N., Silveira T.G.V., Lonardoní M.V.C. (Brazil)

802

Development of fluorinated rhodacyanine analogues for anti-Leishmaniasis

Lasing T., Phumee A., Siriyasatien P., Ng C.H., Vilaivan T., Khotavivattana T. (Thailand & Malaysia)

803

Developing and validating a clinical algorithm for the diagnosis of podoconiosis

Deribe K., Florence L., Kelemework A., Getaneh T., Tsegay G., Cano J., Newport M.J., Davey G. (Ethiopia & UK)

Poster List – Wednesday 18 September

828

Lack of association between asthma, atopy and helminthic infection in school-age children in the province of Bengo, Angola

Arrais M., Quifica F., Gama J., Taborda-Barata L., Brito M. (Angola & Portugal)

855

Increased levels of circulating immune complexes and ferritin bear good association with malondialdehyde concentration in patients with severe dengue infection

Patra G., Garani S., Saha B., Mukhopadhyay S. (*India*)

863

Testing the DLP-based NIR spectrometer for the diagnosis and characterisation of tropical lymphoedema in western Ethiopia; A pilot study

Temesgen A., Wilson B., Wang W., Keller M., Chatwin C., Fekadu A., Dixon B., Deribe K., Callow C., Davey G. (Ethiopia, USA & UK)

865

Identification of endemic plants with potential for lymphoedema treatment

Nigussie D., Legesse B.A., Matts P., Bremner S., Callow C., Addis G., Fekadu A., Davey G., Makonnen E. (UK, Ethiopia & USA)

874

Repeated doses of praziquantel in schistosomiasis treatment (RePST) – Single versus multiple praziquantel treatments in school-aged children in Côte d'Ivoire: An open-label, randomised controlled trial

Hoekstra P.T., Casacuberta Partal M., van Lieshout L., Assaré R.K., Silué K.D., N'Gbesso Y.K., Knopp S., Utzinger J., Coulibaly J.T., van Dam G.J. (The Netherlands, Switzerland & Côte d'Ivoire)

885

Knowledge on Chagas Disease among Latin American migrants attending a community-based screening campaign in Spain

Ramos-Sesma V., Navarro-Beltrá M., González-Grilo M., Llenas-García J., Wikman-Jorgensen P.E., Amador-Prous C., García-López M., Pujades Tarraga A.I., Torrús-Tendero D., Ramos-Rincón J.M., on behalf of the AlicanteSinChagas Network (Spain)

894

Stabilization of SmMIT-LAMP reagents for application in point-of-care diagnostic of schistosomiasis

García-Bernalt Diego J., Fernández-Soto P., Alonso-Castrillejo S., Crego-Vicente B., Febrer B., Gómez A., Vicente B., López-Aban J., Muro A. (Spain)

905

Does skin microbiota modulate the treatment response against old world cutaneous Leishmaniasis?

Alraey Y., Subramaniam K., Haines L., Weedall G., Alsalem W.S., Acosta-Serrano A. (Saudi Arabia & UK)

913

Splenectomy in patients with visceral leishmaniasis resistant to conventional therapy and secondary prophylaxis: A cohort with 13 cases

Cavalcante Reinaldo L.G., Cunha Araújo Júnior R.J., Melo Diniz T., de Deus Moura R., Meneses Filho A.J., Verçosa de Macedo Furtado C.V., Dantas Eulálio K., Nery Costa C.H.

Poster List – Wednesday 18 September

946

An unusual case of relapsing visceral and cutaneous leishmaniasis in an immunocompromised patient

Jawad S., Dhariwal A. (UK)

956

Validation of a portable three-dimensional imaging system for measuring lower limb volume of podoconiosis patients; A pilot study

Temesgen A., Chatwin C., Fekadu A., Dixon B., Deribe K., Callow C., Davey G. (UK, Ethiopia & USA)

962

Integrating a holistic care package for podoconiosis, lymphatic filariasis and leprosy into routine health services in Ethiopia – The endpoint project

Ahmed O.A., Tesfaye A., Fekadu A., Abebayehu T.K., Hounsou N., Kinfe M., Mengiste A., Davey G., Semrau M. (Ethiopia & UK)

973

***Ancylostoma ceylanicum*, first case in Sri Lanka**

Mallawarachchi C.H., Samarasinghe S. (Sri Lanka)

1001

Access to schistosomiasis diagnosis and treatment: A multicenter cohort study

Comelli A., Riccardi N., Canetti D., Spinicci M., Cenderello G., Marchese V., Zammarchi L., Di Biagio A., Caligaris S., Gaiera G. (Italy)

1039

Prevalence of buruli ulcer in Osun State, Nigeria; 2016 – 2017

Ogundun O.A., Ojo J.O. (Nigeria)

1040

Integrated management of skin NTDs: A NGO perspective

Suykerbuyk P., Mayaka Manitu S., Lulebo Mampasi A. (Belgium & DRC)

1043

The project "Garantizando derechos": A retrospective study on ten years of screening activities for Chagas disease and strongyloidosis in a Latino-American community living in Northern Italy

Gottardi M., Anselmi M., Rodari P., Buonfrate D., Gobbi F., Tais S., Bonifacio E., Bisoffi Z., Angheben A. (Italy, Ecuador & Jamaica)

1054

The use of Circulating Cathodic Antigen rapid test for early diagnosis of *Schistosoma mansoni* infection in migrants coming from endemic areas: A 17-month study

Gaiera G., Canetti D., Riccardi N., Fadelli S., Adamoli M., Fiammanti C., Mancini N., Ieri R., Grande R., Castagna A. (Italy)

1070

Large scale field trials of an innovative and environmentally tsetse repellent technology in East Africa – Kenya

Mbahin N., Affognon H., Andoke J., Tiberius M., Mbuvi D., Otieno J., Muasa P., Saini R.K., Yotchou R.M.3 (Kenya & Benin)

Poster List – Wednesday 18 September

1093

A coverage evaluation survey for Mass Drug Administration of Ivermectin in Ukwa East Local Government area, Abia State, Nigeria

Afonne C., Danso-Appiah T., Offor S., Ajayi I.O. (Ghana & Nigeria)

1095

An unusual case of *Talaromyces Marneffei* infection in a non-immunocompromised host

Reidy N., Sweeney E., Muldoon E. (Ireland)

1116

DMU e-Parasitology: A tool to teach cell and parasite culture

Peña-Fernández A., Hurtado C., Singh N., Llorens S., Anjum U., Evans M.D. (UK & Spain)

1135

Impact of periodic selective PZG treatment on *schistosoma mansoni* infection as monitored by Kato-Katz and POC-CCA in a schistosomiasis endemic community in the Democratic Republic of Congo

Roucher C., Madinga J., Hermy M.R., Linsuke S., Paredis L., Hoekstra P., van Dam G.J., Mbala P., Lutumba P., Polman K. (Belgium, DRC & The Netherlands)

1136

Prevalence of urinary schistosomiasis among primary school children in Afgoi District, Somalia

Name Fuje M.M., Osman M.A., Isse M.A., Jimale S.M., Omar M.M., Jama M.A. (Somalia)

1138

Highly efficient, short-course therapy of Buruli ulcer: from laboratory studies to clinical testing

Omansen T.F., Converse P., Almeida D., Li S.-Y., Lee J., Ramharter M., Stienstra Y., Asiedu K., van der Werf T.S., Nuernberger E. (Germany, USA, The Netherlands & Switzerland)

38

Intranasal artesunate thermosensitive chitosan gel for the treatment of severe and cerebral malaria in rural areas

Agbo C.P., Nwabueze H.U., Offor E.N., Ofokansi K.C., Attama A.A. (Nigeria)

136

Therapeutic response to artemether lumefantrine among individuals with pure versus mixed *plasmodium* species infections in Kisumu county, Western Kenya

Chemwor G., Akala H., Opot B., Okoth R., Yedah R., Cheruiyot A., Onyango I., Juma D., Andagalu B., Managbanag J.R. (Kenya)

140

Interest in the biological confirmation of malaria diagnosis in decision making for the treatment of malaria in the Democratic Republic of the Congo

Laishe B., Mukomena E., Kutekemeni A., Likwela J. (DRC)

165

Severe malaria is the leading cause of hospital admissions among under-five children in a post-Ebola community in rural Northern Sierra Leone: A 3- year review

Afolabi M.O., Ishola D., Baiden F., Kowuor D., Sesay I.G., Mooney T., Manno D., Leigh B., Greenwood B., Watson-Jones D. (UK, Sierra Leone & Tanzania)

Poster List – Wednesday 18 September

202

The WWARN clinical trials publication library: A systematically constructed database of *Plasmodium* clinical efficacy trials

Takata J., Sondo P., Burrow R., Maguire B., Hossain S., Das D., Commons R.J., Price R.N., Guerin P.J. (UK & Australia)

205

Diagnostic performance of the Alere™ Ultra-sensitive rapid diagnostic test for *Plasmodium falciparum* malaria infections in asymptomatic pregnant women in Timika, Indonesia

Unwin V.T., Ahmed R., Kuile F.T., Noviyanti R., Trianty L., Retno A.S.U., Puspitasari A.M., Lukito T., Poespoprodjo J.R., Syafruddin D., Adams E.R. (UK & Indonesia)

218

The impact of travel on the epidemiology of malaria in Zanzibar: What it means for the islands' vision of malaria elimination

Ahmed S., Ali A.S., Al-Mafazy A.-W., Mkali H.R., Greer G., Kaspar N., McKay M., Cressman G.M., Reithinger R., Kaptoge S.K., Ngondi J.M. (UK, Tanzania & USA)

254

Efficacy and safety of artemisinin-based and quinine-based treatments for uncomplicated *falciparum* malaria during pregnancy: A WWARN individual patient data meta-analysis

Saito M. on behalf of the WWARN Malaria in Pregnancy Treatment Efficacy study group (UK)

269

Cross-sectional Study Reveals Promising Biomarker to Distinguish Malaria Tropica from Bacterial Bloodstream Infections

Zimmermann M.E., Gilberger N., Krumkamp R., Lorenz E., Boahen K.G., Eibach D., Sarpong N., Owusu-Dabo E., May J. (Germany & Ghana)

299

Malaria chemoprevention with monthly treatment with dihydroartemisinin-piperazine for the post-discharge management of severe anaemia in children aged less than 5 years in Uganda and Kenya: A 3-year, multi-centre, two-arm randomised placebo controlled superiority trial

Kwambai T.K. on behalf of the Post Discharge Malaria Chemoprevention Consortium (Kenya & UK)

317

Clinical and Demographic Characteristics of Malaria Infections in the Dominican Republic

Tapia L., Paulino-Ramirez R. (Dominican Republic)

324

Effect of previous malaria episodes in suspected imported malaria in a tertiary hospital in Spain

García A.G., Morcate C., Ramos Rincón J.M., Pérez-Tanoira R. (Spain)

331

***Plasmodium falciparum* Gametocyte Carriage before and after treatment with Artemisinin Combination Therapies**

Okoth R., Opot B., Chemwor G., Juma J., Onyango I., Juma D., Akala H., Andagalu B., Kamau E., Manangbanang J.R. (Kenya & USA)

Poster List – Wednesday 18 September

414

Stabilized artemether and lumefantrine self emulsifying oil formulations for improved antimalarial activity

Ugorji O.L., Onyishi I.V., Obitte N.C., Onwordi J.N., Bednarski P., Adeyeye C.M. (Nigeria, Germany & USA)

415

Modelling reactive case detection strategies for interrupting transmission of plasmodium falciparum malaria

Reiker T., Chitnis N., Smith T. (Switzerland)

447

Imported severe malaria in children: Is it still a challenge in non-endemic countries?

Soriano-Arandes A., Espiau M., Mir A., Sulleiro E., Martín-Nalda A., Frick M.A., Mendoza-Palomar N., Melendo S., Zarzuela F., Soler-Palacín P. (Spain)

486

Genetic diversity of *plasmodium falciparum* parasites in pregnant and non pregnant women and potential resistance to antimalarial drugs in Kenya

Mugambi B.M., Mobegi V., Kivecu M.N., Okoth R., Opot B., Juma D., Akala H., Andagalu B., Managbanag J.R. (Kenya)

488

Pattern of *Pfmdr-1* gene polymorphisms following treatment with artemether-lumefantrine and artesunate-amodiaquine

Baraka V., Mavoko H.M., Nabasumba C., Francis F., Lutumba P., Alifrangis M., Van Geertruyden J.P. (Tanzania, Belgium, DRC & Denmark)

571

A seven-month prospective review of malaria admissions to a regional infectious disease unit in Manchester, UK

Farooq H.Z., Goodwin L.C., Thompson J.V., Ustianowski A. (UK)

606

Management of presumptive malaria in pharmacies in Cameroon: Case of 30 private pharmacies in Yaounde

Bombah A.E., Tene L.N., Essomba N.C., Same-Ekobo A. (Cameroon)

633

Formulation, evaluation and antiplasmodial studies of solid dispersions of blends of methacrylic acid-based polymers and a hydrophilic carrier for improved delivery of lumefantrine

Echezona A.C, Ofokansi K.C., Momoh M.A., Akpa P.A., Nnamani P.O, Ogbonna J.D.N., Attama A.A., Onugwu A.L., Nwagwu C.S. (Nigeria)

669

Prevalence, determinants and effects of malaria and intestinal helminths co-infection among school-aged children aged 5-15 years in Calabar

Oduwole O.A., Asiegbu V.C., Bello S. (Nigeria)

693

Community-based prevalence of typhoid fever, typhus, brucellosis and malaria among symptomatic individuals in afar region, Ethiopia

Zerfu B., Medhin G., Mamo G., Getahun G., Tschopp R., Legesse M. (Ethiopia & Switzerland)

Poster List – Wednesday 18 September

726

Molecular surveillance of antimalarial resistance: Towards a possible recovery of the effectiveness of chloroquine in Democratic Republic of Congo

Yobi M.D., Kayiba K.N., Mvumbi M.D., Boreux R., Bontems S., Kabututu Z.P., Situakibanza N.H., De Mol P., Speybroeck N., Mvumbi L.G., Hayette M.P. (DRC & Belgium)

762

Trends in health worker compliance with the outpatient malaria case management guidelines by malaria risk in Kenya, 2010-2016

Amboko B., Stepniewska K., Machini B., Kiptui R.R., Waqo D.E., Snow R.W., Bejon P., Zurovac D. (Kenya & UK)

768

Incidence of plasmodium infections and determinant factors among febrile children in a district of Northwest Ethiopia; A cross-sectional study

Hailu T., Alemu M., Mulu W., Abera B. (Ethiopia)

813

Malaria outbreak investigation and management in Awash Fentale district, Ethiopia- July to October, 2018

Temre Y., Awole S. (Ethiopia)

825

G6PD deficiency in children in a malaria endemic area of Bengo province, Angola

Tchonhi C.L., Brito M. (Angola & Portugal)

869

Addressing the burden of severe malaria in the most remote endemic settings by optimizing case management: The caramal multi-country initiative

Signorell A., Hetzel M.W., Awor P., Brunner N., Tshefu A., Okitawutshu J., Omoluabi E., Nepomnyashchiy L., Buj V., Burri C., Lengeler C. (Switzerland, DRC & USA)

918

Performance of malaria rapid diagnostic test in diagnosing asymptomatic malaria in children in an area of stable malaria transmission, Kisantu, Democratic Republic of Congo

Ilombe G., Linsuke S., Likwela J., Maketa V., Lulebo A., Mutombo P., Lutumba P., Van Geertruyden J.P., Matangila J. (DRC & Belgium)

964

Nosocomial malaria in a splenectomised patient after heart transplantation

Almuedo-Riera A., Camprubí D., Ángeles Castel M., Álvarez-Mártinez M., Merino González A., Perez-Villa F., Eugenia Valls M., Moreno A., Muñoz J., Paredes D. (Spain)

986

Spontaneous splenic rupture in *P. falciparum* infection: A case report and literature review

Wynberg. E., Sturdy A., Patterson, C.A., Jacobs M. (UK)

1074

Prevalence of cytopenias in malaria infection and its associability with *haemoxygenase-1* expression

Aqeel S., Naheda A., Khan W. (India)

Poster List – Wednesday 18 September

1082

False positive results for rapid diagnostic tests for malaria highlighted by a species-specific real-time PCR in patients with fever in Republic Democratic of Congo

Yobi M.D., Kayiba K.N., Mvumbi M.D., Boreux R., Bontems S., Kabututu Z.P., Situakibanza N.H., De Mol P., Speybroeck N., Mvumbi L.G., Hayette M.P. (DRC & Belgium)

1102

Where have all the parasites gone? A malariometric survey to determine the species of plasmodium causing clinical malaria in Nigeria

Nakakana U.N., Ahmed M.I., Jiya N.M., Onankpa B.O. (Nigeria & Gambia)

1143

Malaria among pregnant women: Knowledge, attitudes and practices in Ibeku Umuahia, Abia State, Nigeria

Ukpai O.M., Kalu, O.A. (Nigeria)

19

Prevalence and predictors associated with condylomata acuminata infection among people in Southern Brazil

Peder L.D., Silva A.C.M., Wunsch G.M.C., Malizan J.A., Nascimento B.L., Horvath J.D., Silva E.S., Teixeira J.J.V. (Brazil)

61

Incidence of maternal illnesses during pregnancy in Rural South Ethiopia: A cohort study

Tadesse M., Loha E., Johansson K.A., Lindtjørn B. (Ethiopia & Norway)

73

Bacterial isolates and their current drug susceptibility profile from urine among asymptomatic pregnant women attending at the Felege Hiwot Referral Hospital antenatal clinic, Northwest Ethiopia

Derbie A., Mekonnen D., Abate E., Tadesse S., Birku T., Biadglegne F. (Ethiopia)

86

Impact of health worker visits and subsidized primary care on health outcomes and behavior - A randomized, controlled trial in Bamako, Mali

Dean M., Pratley P., Sautmann A., Zhang X. (USA & The Netherlands)

121

Characterisation of clinical *shigella* isolates, using serotyping and antimicrobial resistance profiles in Zimbabwe

Kakurira K.S., Mugabe M., Tarupiwa A., Mashe T., Stray-Pedersen B., Mbanga J. (Zimbabwe)

160

Do patients with chronic conditions face higher out of pocket expenditures than those with an acute health problem? Results from a household survey in rural Tajikistan

Fischer F., Mengliboeva Z., Karimova G., Abdujabarov N., Prytherch H., Wyss K. (Switzerland & Tajikistan)

194

Early Warning Systems in Obstetrics: a systematic literature review

Umar A., Ameh C., Muriithi F., Mathai M. (UK)

Poster List – Wednesday 18 September

197

Development and Validation of Obstetric Early Warning System model for use in low resource settings

Umar A., Manu A., Mathai M., Ameh C. (UK)

350

Self medication and less adherence to antimicrobial medication is common problem in developing country, future impact on tropical diseases

Joshi M. (Nepal)

382

Post partum family planning: Is the unmet need a high-income country (HIC) problem?

Mulji Y., Park H., Letchworth P. (UK)

383

Uptake and Outcomes of Immediate Post-Placental Intrauterine Contraception inserted at time of Caesarean section at Derriford Hospital, Plymouth

Mulji Y., Shaylor K., Caukwell S. (UK)

403

Improving IPTp3+ uptake among pregnant women during antenatal care, a quality improvement project in Ngora Uganda

Aliano R., Okerenyang M., Engulu J., Opolot H. (Uganda)

496

Club olive – Expert patient platform for supporting patients in decisions making, its effect on quality of care and cost to patients

Toms T.K., John S.V., John D., Raglund J. (India & Finland)

547

Clients and health care workers perspectives on community art group model of differentiated art delivery in Ondo State, Nigeria: Qualitative study

Ibiloye O.J., Emerenini F., Akueshi C., Elusoji F., Akinbinu B., Omole T., Plang J., Akande P. (Nigeria)

627

Retention estimates and predictors of attrition following community and facility-based art initiation in Benue State, Nigeria

Sagay H., Badejo O., Oche J., Ezeofor H., Jwanle P., Ochenjele S., Decroo T. (Nigeria & Belgium)

777

Frequency, risk factors and readmissions of sepsis: Results from a tertiary care hospital in Pakistan

Arshad. A., Ayaz. A. (Pakistan)

859

A survey of Catalan health professionals' knowledge, experience, and training needs in relation to female genital mutilation

Saperas Pérez C., Sanchez Albarracín L., Orti Grifé M.R., Barlam Torres N., Muñoz Racero C., Vazquez Morocho J., Tarancón Rotella L., Sanchez Collado C., López Lifante V.M. (Spain)



Poster List – Wednesday 18 September

866

Chronic arthritis in VFR (visiting friends and relatives) patient from India in primary health

Gispert-Saüch-Puigdevall N., Silva-Garcia L., Altés-Vaques E., Mallart-Raventós M., Carrasco-Rauret C., Barro-Lugo S., Roca-Saumell C., Aguilar-Margalejo A., Badenes-Mezquita M., Sanchez-Collado C. (Spain)

886

The impact of cell phone and internet use on the follow-up of heterosexual men in urban sexual transmitted infection clinics in two southern cities of United States of America

Some S.A., White S., Gustat J., Schmidt N., Taylor S.N., Mena L., Lillis R., Defayette K., Kissinger P., Martin D.H. (Burkina Faso & USA)

895

Stakeholder perceptions on patient-centered care at primary health care level in Rural Eastern Uganda: A qualitative inquiry

Waweru E.W., Sarkar N.D.P., Ssenooba F., Gruénais M.E., Broerse J.E.W., Criel B. (Belgium, The Netherlands, France, Spain & Uganda)

976

Training in Point of Care Ultrasound at Queen Elizabeth Central Hospital in Blantyre, Malawi – An ESTHER-Project

Kreuels B., Dula D., Limani F., Jordan S., Heller T., Jochum J., Mallewa J. (Malawi)

982

The use of medical Point of Care Ultrasound (POCUS) in inpatients in Queen Elizabeth Central Hospital, Blantyre, Malawi

Dula D., Limani F., Nnesa V., Keeley A., Mallewa J., Joekes E., Jordan S., Gadama L., Kreuels B. (Malawi)

983

Perception and acceptability of mHealth tool among health extension workers in southern Ethiopia: A qualitative study

Mitiku I., Tadesse A., Belachew T., Tabor L., McGovern E. (Ethiopia & USA)

997

Ten years of coordinated effort to improve management and decrease inequalities in tropical medicine/imported diseases in Barcelona

Almuedo-Riera A., Martinez-Perez Á., Requena-Méndez Ana, Jiménez A.I., Mauri V., Peña A., Roig G., Muñoz J., Gigante M., Sequeira E. (Spain)

1027

Travel health perceptions and behavior amongst participants in a tropical medicine diploma course

Martin K.D., Dunin de Skrzywno S., Wekesa Y., Fleming-Nouri A., Wilson S.L., Boggon A., Carveth-Johnson T., Henriksson M., Jones J., Sanford C. (USA, UK & Gambia)

1073

Exploring the effect of traditional medicine ingestion in the peri-partum period on maternal and foetal outcomes: A prospective cohort study

Tochie J.N., Dohbit S.J., Meka E., Mbia M. K.Z., Essiben F., Foumane P. (Cameroon)

Poster List – Wednesday 18 September

Track 4: Health Systems

275

Perceptions of quality, accessibility, and affordability of health services as determinants for the use of assisted childbirth by nomads: Case of Gossi, Mali

Ag Ahmed M.A., Brabant L.H., Gagnon M.P. (Canada)

652

What matters in health facility performance in performance-based financing: a multiple case study analysis of primary health centres in the south west region (swr) of Cameroon

Ako-Egbe L. 1, Amate F. E. 2, and Noumsi H. 3 (Cameroon)

1009

Evaluation of the impact of an intervention to reduce malaria morbidity and mortality in Burkina: 2006-2015 retrospective study

Akotionga E., Ouedraogo T., Nassa S., Nitiema A.P., Bakiono F., Bicaba A., Bazira L., Nakoulma R.J.F., Laokri S., Compaoré C.S.I. (Burkina Faso, Burundi & Belgium)

188

The need for education of food vendors towards elimination of helminthiasis in Nigeria

Aribodor O.B., Ekwunife C.A., Aribodor D.N., Sam-Wobo S.O. (Nigeria)

329

Need of health policy and system research for elimination of falciparum malaria in Pakistan

Ather S., Rana S.M. (Pakistan)

277

Lot quality assurance sampling survey on integrated reproduction and child health services in Sierra Leone

Koroma A.S., Kamara H.I., Bah M., Kandeh A.K., Allieu H., Kargbo A., Jalloh A., Turay M., Sonnie M., Hodges M. (Sierra Leone)

710

Perceptions and attitudes towards hypertension and diabetes guidelines: A qualitative study with Ugandan medical doctors and policymakers

Bakibinga P. (Kenya)

588

First line medical doctors in Sub-Saharan Africa: A scoping review on an emerging movement in the primary health care landscape

Bello O.A.K., Mitashi P., Dossou J.P., Belrhiti Z., Chenge F., De Lepeleire J., Apers L., Zannou M., Criel B. (Benin, Belgium, DRC & Morocco)

1121

Using a structured professional development scheme to measure and foster capacity development in LMICs

Bilardi D., Rapa E., Segrt A., Boggs L., Furtado T., Lang T. (UK & Italy)

994

Practice and attitude towards antibiotic self-medication among early medical students in Tanzania and Russia

Berdnikova V., Lykina T., Shayo A., Bochkaeva Z. (Tanzania & Russia)

Poster List – Wednesday 18 September

955

AmbiCal app: Supporting the quality of Visceral Leishmaniasis (VL) treatment through digitalisation in India

Kumar S., Bajpai N., Meredith S., Rowan SN, Raghavan V., Kaur S., Tomar G., Misra K., Aggarwal V., Burza S. (India & UK)

975

Assessing the underreporting of arboviral cases within the Colombian national surveillance program

Carabali M., Rivera V.A., Jaramillo G.I., Restrepo B.N., Zinszer K. (Canada & Colombia)

713

The Belgian commitment towards assuring quality of medicines in humanitarian and development programs – Experience of stakeholders

Carasso K.B., Ravinetto R., Nebot A., Dujardin C. (Belgium & France)

883

The Merck Global Health Institute: A leading practice for innovation in global health

Reinhard-Rupp J., Gréco B. (Switzerland)

83

Pharyngeal colonization and drug resistance profiles of *Moraxella catarrhalis*, *Streptococcus pneumoniae*, *Staphylococcus aureus*, and *Haemophilus influenzae* among HIV infected children attending ART clinic of Felegehiwot Referral Hospital, Ethiopia

Mulu W., Yizengaw E., Alemu M., Mekonnen D., Hailu D., Ketemaw K., Abera B., Kibret M. (Ethiopia)

437

Comparison of immediate ex-vivo versus in vitro culture adaptation growth inhibition assays for testing antimalarial drug susceptibility of field isolates

Cheruiyot A.C., Akala H.M., Yeda R.A., Okudo C., Juma D., Opot B., Mwakio E., Juma J., Okoth R., Andagalu B., Jim Ray Managbanag J.M. (Kenya)

930

Observation of national indoor residual spraying operation for kala-azar vector control in Bangladesh

Chowdhury R., Chowdhury V., Faria S., Islam S., Maheswary N.P., Akhter S., Islam M.S., Dash A.P., Kroeger A., Banu Q. (Bangladesh, India, Switzerland & Germany)

597

Organizational analysis of the management of psycho-medicosocial complex situations in 6 health centers in the DRC: A contextual patient-centered approach

Molima E.D.C., Karemere B.H., Bisimwa B.G., Makali S., Macq J. (Belgium & DRC)

823

Geographical distribution and prevalence of podocniosis in Rwanda: A cross-sectional country-wide survey

Deribe K., Mbituyumuremyi A., Cano J., Mbonigaba J.B., Giorgi E., Ruberanziza E., Bayisenge U., Pullan R.L., Newport M.J., Davey G. (UK, Ethiopia & Rwanda)

474

Assessment of data quality of the electronic Disease Early Warning System for infectious diseases in Yemen

Dureab F., Beiersmann C., Mueller O., Jahn A. (Germany & Yemen)

Poster List – Wednesday 18 September

167

Girls' MHM knowledge, attitudes and practices, influencing factors, and the role of boys - Findings from Malawi

Enzler D.M., Gass T., Chisala P. (Spain, Switzerland & Malawi)

1092

“Quick win initiative” decentralizing emergency care in Ethiopia to battle emergency department crowding in tertiary hospitals

Fantaye H., Workeye B., Firew T., Ibrahim F. (Ethiopia)

559

Opisthorchis felinus infection in Western Siberia: Update on prevalence, risk factors and impact on human health

Fedorova O.S., Zvonareva O.I., Fedotova M.M., Kovshirina Y.V., Mazeina S.V., Sokolova T.S., Konovalova U.V., Petrov V.A., Hattendorf J., Ogorodova L.M., Odermatt P. (Russian Federation, The Netherlands & Switzerland)

609

Tailoring community-based screening campaigns, in tune with the needs of population at-risk, can play a key role in the detection of chagas disease and Strongyloidiasis

Flores-Chavez M.D., Bocos O., Jordán B., García E., Nieto J., Aguilar C.L.L., Arcas C., Peña I., Orellana I., Vivas F. (Spain)

343

Positive impact of student mobility: The perception of Masters in International Health alumni

Gerstel L., Zwanikken P., Flinkenflogel M., Zweekhorst M., Grys P. (The Netherlands & Germany)

838

Can we use pharmacovigilance intelligence to track antimicrobial resistance?

Habarugira J.M.V., Figueras A.S. (The Netherlands & Spain)

781

Strengthening web based surveillance through DHIS2 for VL elimination programme in Bangladesh

Hossain M.S., Huda M.M., Shomik M.S., Azad A.K., Shamsuzzaman A.K.M., Hossain A.F.M.A., Sultana N., Hossain Md. A., Mondal D. (Bangladesh)

511

Factors associated with pregnancy outcomes among hypertensive pregnant women at the Comé district hospital in Bénin

Saizonou J., Makoutodé P., Mongbo Adé V., Kpozèhouen A., Tao M., Adisso S. (Benin)

460

Impact evaluation

Jover L., Tallada J., Casamitjana N. (Spain)

439

Sympatric existence of falciparum and non-falciparum parasites triggers occurrence of symptomatic malaria in endemic regions of Western Kenya

Juma J.A., Akala H.M., Juma D., Opot B., Chemwor G., Okoth R., Mwakio E., Cheruiyot A., Andagalu B., Managbanag J.R. (Kenya)

Poster List – Wednesday 18 September

910

Chasing visceral leishmaniasis elimination in Nepal: A swot analysis

Kattel V., Karki P., Marasani B. (Nepal)

357

Epidemiology of outbreaks of dengue fever in Burkina Faso in 2016-2017

Kombassere K., Seogo P.H., Ndao K., Thonneau P., Meda N. (Egypt & Burkina Faso)

648

Detecting histidine-rich protein 2 gene deleted malaria parasites

Kreidenweiss A., Lucas Sandri T., et al. (Germany & Gabon)

225

Trends in neonatal mortality in India: Growing inequalities across different economic and education groups of women

Kumar A. (India)

206

Are Nigerians willing to pay more taxes for more government spending on health: Evidence from the 7th Afro-barometer survey in 2016/2017

Kuti O.O., Alori S. (Ghana & Nigeria)

468

A bottom-up approach to strengthen health systems through health system research training

Labat A., Martin B., Lecocq D., Coppieters Y. (Belgium)

174

Development of a highly specific and sensitive multiplex diagnostic test system for the simultaneous detection of antibodies and antigens against Chikungunya, Dengue and Zika

Latz A. (Germany)

871

Long-term technical support to a national malaria control programme: 16 years of experience

Lengeler C., Akim I., Molteni F., Runge M., Pothin E. (Switzerland & Tanzania)

1134

Medical laboratories and quality of cares: The most neglected part at hospital level

Linsuke S., Nabazungu G., Ilombe G., Ahuka S., Muyembe J.J., Lutumba P. (DRC & Belgium)

1078

How to improve community engagement in Cuba's socio-political system update? A road map

Luis González I.P., Alvarez Perez A.G., Cuban National Network of Social Determinant of Health (Cuba)

1017

Progress towards elimination of Lymphatic Filariasis and NTDs in the Democratic Republic of the Congo, despite co-endemicity, political instability and conflict

Mpoma Mikko P., Awaca N., Chauvet H. (UK & DRC)

647

Evaluation of Integrated Disease Surveillance and Response (IDSR) core and support functions after the revitalisation of IDSR in Uganda from 2012 to 2016

Masiira B. (Uganda)

Poster List – Wednesday 18 September

1099

Professional standardizations in global governance of reproductive technologies: Legal and ethical issues

Mitra S., Firth L. (UK)

840

Screening challenges in preventing mother-to-child HIV transmission in rural areas of Vanga health zone in the Democratic Republic of the Congo

Mudji E.J., Baliraine F.N., Lukanu F.N., Eriksson B. (DRC, USA & Sweden)

440

Establishment of Technical Vector Control Advisory Groups (TVCAGs): Experiences from three countries (Cameroon, Burkina Faso, and Malawi) within the PIIVeC programme

Mwendera C.A.1, Worrall E.1 (UK)

950

Provincial medical equipment workshop – Quicker and efficient maintenance

Narayanan S., Umutesi F.2, Biraro G., Mazarati J.-B., Gyselinc K., Tihon V. (Rwanda)

999

Body-mapping & people living with Chagas disease: Time for action

Navarro M., Parisi S., Pritsch M., Apodaca Z., Rubilar G., Jiménez C., Chilet E., Apodaca B. (Spain, Germany & Bolivia)

621

Integrated service delivery at facility and community level to improve service quality and outcomes in Southwestern Uganda

Ndagire K.G., Kapsandui T., Ndamira A., Wasike S. (Uganda)

795

The impact of spring capping and educational interventional regime on the incidence of diarrhoeal disease in Bonke Woreda, Ethiopia

Newport D. (UK)

212

Discursive gaps in the implementation of the nutrition PBF pilot project in Burundi: A qualitative case study

Nkurunziza S., Anthierens S., Basenya O., Korachais C., Van Geertruyden J.P. (Burundi & Belgium)

979

Examining the trends and socioeconomic determinants of inequalities in maternal healthcare coverage over time: Evidence from four East African countries

Fenny A.P., Crenstil A., Asuman D. (Ghana)

676

Prevention of malaria in pregnancy among pastoralists in a humanitarian setting: An exploratory study of ambulatory service delivery models for administering prophylaxis

Odjidja E.N., Kwanin C. (Burundi & Switzerland)

628

Canadian Aboriginals health status speaks loud and clear

Olatunde O.A. (Canada & Nigeria)

856

Poster List – Wednesday 18 September

Innovations in revenue collection among informal sector for social health insurance: Leveraging adoption to ensure expansion of coverage in the Anambra State health insurance scheme

Onyemaechi S.B., Ukwuije F. (Nigeria)

180

Performance-based financing is not backed by credible theoretical justifications

Paul E., Bodson O., Ridde V. (Belgium & France)

420

Strategic purchasing for health: Conceptual and implementation challenges in low- and middle-income countries

Paul E., Ridde V., Brown G.W. (Belgium, France & UK)

505

Fiscal challenges on the path towards universal health coverage in Benin

Paul E., Wangbe J.-P., Fecher F., Bourgeois M. (Belgium & Benin)

1030

Policy drivers of zoonotic disease vulnerability and interventions in India

Asaaga F.A., Oommen M.A., Chandarana, R., Young J.C., Purse B.V. (UK & India)

164

Under reporting of absenteeism among health workers in Ethiopia: A list randomisation experiment

Quaife M., Seifu A., Marchant T., Borghi J. (UK & Ethiopia)

1124

The professional development scheme (PDS): Measuring capacity development for researchers (www.globalhealthtrainingcentre.org/pds)

Rapa E., Furtado T., Segrt A., Boggs L., Bilardi D., Lang T. (UK & Italy)

752

A cost-of-illness analysis of transfusion-dependent β -thalassaemia major in Sri Lanka

Reed-Embleton H., Nezafat Maldonado B., Arambepola S., Premawardena A., Arambepola M., Allen S. (UK & Sri Lanka)

560

Effects of *Opisthorchis felinus* infection on the human gut microbiota

Saltykova I., Sokolova T., Dorofeeva Y., Petrov V., Fedorova O. (Russian Federation)

864

Improving migrants access to public health system

Saperas Pérez C., Sanchez Albarracín L., Borlan Agüero E., Muñoz Racero C., Tarancón Rotella L., Sanchez Collado C., Orti Grifé M.R., Barlam Torres N., García Rodríguez C., Rodríguez Sánchez S. (Spain)

1020

Towards constructive rethinking of PBF: Perspectives of implementers in Sub-Saharan Africa

Mayaka Manitu S. (DRC)



Poster List – Wednesday 18 September

1022

Performed based financing (PBF) and external counter-verification: A tool of governance improvement in the Democratic Republic of the Congo

Mayaka Manitu S. (DRC)

304

Menstrual hygiene management (MHM) in Bhutan: Knowledge, attitudes and perceptions amongst female college students with a snapshot of existing college wash facilities (2018)

Tshomo T., Shah S., Maes P., Gil Cuesta J., Singh Gurung M., Wangdi R., Tobden J. (Bhutan & Belgium)

773

Oral health disparities among privileged and underprivileged tribes of South India - A study on precancerous oral lesions prevalence

Shanavas K. (India)

921

Output of kalacore project to support National Kala-azar Elimination Programme in Bangladesh

Shomik M.S., Misra K., Huda M.M., Ghosh D., Hossain S., Islam S., Ali J., Tahmina S., Mondal D. (Bangladesh)

800

Impact of a trio of target-site mutations on pyrethroid resistance in *Aedes aegypti* from across northern Brazil

Martins W.F.S., Ferreira R.S., Martins E.R.A., Albuquerque C.C., Filho E.J.F., Alves A.T.V., Pereira B.N.S., Martins P.G.S., Donnelly M.J., Weetman D. (Brazil & UK)

780

Preliminary results of a cost analysis of acute myeloid leukemia treatment at Tata Medical Center, Kolkata, India: 2011-2016

Smith R.D., Samani M., Mandal P., Ghosh A., Roy D., Bharti N., Ghose S., Datta S., Chandy M., Radhakrishnan V. (UK & India)

1044

How satisfied Beninese patient are with care received in hospitals?

Sogbohossou P., Kashala J.-P., Somasse Y., Gyselinc K., Marx M. (Belgium & Germany)

783

Development of the HIV patient master index: A basis for monitoring the HIV continuum of care and formulating interventions for people living with HIV in Suriname

Stijnberg D., Mc Kee M., Adhin M., Schrooten W. (Belgium & Suriname)

242

Exploring barriers to an effective supply of leishmaniasis drugs and diagnostics in eastern Africa: A qualitative study

Sunyoto T., Potet J., den Boer M., Ritmeijer K., Postigo J.A.R., Ravinetto R., Alves F., Picado A., Boelaert M. (Belgium, Switzerland, The Netherlands & Spain)

654

Malaria epidemiology and interventions in Ethiopia from 2000 to 2016

Taffese H.S., Hemming-Schroeder E., Koepfli C., Tesfaye G., Lee M.C., Yan G., Zhou G. (Ethiopia & USA)

Poster List – Wednesday 18 September

378

Geospatial distribution of Chikungunya and Zika virus outbreaks in the Dominican Republic: Two sides of the same coin?

Tapia L., Delgadillo M., Paulino-Ramirez R. (Dominican Republic)

822

When “parents are the first physicians for their children”: Evidences and implications for children health policy in Cameroon

Tchéthchia A., Nodem J.-E., Nga Ndongo V. (Cameroon)

57

Weak health system for managing pneumonia among children in South Ethiopia

Hailemariam S., Gebeyehu Y., Loha E., Johansson K.A., Lindtjørn B. (Ethiopia & Norway)

989

Patient education & active engagement for enhancing compliance and quality of life of DOT patients a study done among TB drop outs in Kerala

Thomas Toms K., John Susan V., John D. (India)

998

Does accreditation lead to better quality of care? Five years' experience in Rwanda

Kamuhangire E., Rurangwa D., Muvunyi Z., Biraro G., Nyemazi J.P., Gyselinck K., Tihon V. (Rwanda & Belgium)

217

Linking household and service provision assessment surveys to estimate effective coverage: A metric for measuring universal health coverage in conflict and fragile zone

Verma V.R., Dash U. (India)

736

Availability of evidence on trachoma in low and middle-income countries: A review of reviews using Evidence Gap Map approach

Virendrakumar B., Jolley E., Schimdt E. (UK)

605

Factors associated with early pregnancy in schools in the Lokossa Athiéme Health district in 2018

Mongbo V., Adadja J., Saizonou J., Makoutodé P., Hounkpatin B., Sossa-Jérôme Ch., Ouendo E.-M. (Benin)

1117

10 years of harnessing communities of practice to enable faster and better research in global health

Lang T. (UK)

1120

Breaking barriers to research skills training and enabling access to those who need it the most

Boggs L., Whelan L., Segrt A., Lang T. (UK)

733

From pilot to scale - A private prime vendor solution to complement public sector supply in Tanzania

Wiedenmayer K., Mbwas R., Mfuko W., Mpuya E., Charles J., Chilunda F., Mbepera D., Kapologwe N. (Switzerland & Tanzania)

Poster List – Wednesday 18 September

222

Social health insurance and payment for family planning services: Evidence from Indonesia

Wilopo S.A., Pinandari A.W., Wahdi A.E., Hariastuti I.W., Oesman H., Magnani R. (Indonesia)

701

Universal health coverage in Morocco: Situation analysis, challenges and perspectives

Zongo A., Hachri H., Diene B. (Cameroon)